

SUBJECT INDEX / INDEX DES ARTICLES PAR SUJET

AIRWAY CLEARANCE

Investigation of the frequency and force of chest vibration performed by physiotherapists. Li SK, Silva YR. 60:341–348 Fall 2008

AMBULATORY PATIENTS / OUTPATIENTS

Availability and structure of ambulatory rehabilitation services: a survey of hospitals with designated rehabilitation beds in Ontario, Canada. Landry MD, Passalent LA, Cott CA. 60:246–54 Sum 2008

Perceptions of outpatients regarding the attire of physiotherapists. Mercer E, MacKay-Lyons M, Conway N, Flynn J, Mercer C. 60:349–357 Fall 2008

ARTHROPLASTY

Measurement properties of performance-specific pain ratings of patients awaiting total joint arthroplasty as a consequence of osteoarthritis. Halket A, Stratford PW, Kennedy DM, Woodhouse LJ, Spadoni G. 60:255–63, Sum 2008

ATROPHY

Eccentric exercise in patients with chronic health conditions: a systematic review. Roig M, Shadgan B, Reid WD. 60:146–60 Spr 2008

AUTISM SPECTRUM DISORDER

Effects of exercise interventions on stereotypic behaviours in children with autism spectrum disorder. Petrus C, Adamson SR, Block L, Einarson SJ, Sharifnejad M, Harris SR. 60:134–45 Spr 2008

BACK PAIN

Pain profiles and psychosocial distress symptoms in workers with low back pain. Mngoma N, Corbière M, Stevenson J. 60:239–45 Sum 2008

Specific directional exercises for patients with low back pain: a case series. Long A, May S, Fung T. 60:307–317 Fall 2008

BALANCE

Clinician's commentary on Arnold et al. (Exercise for fall risk reduction). Hoens AM. 60:373–374 Fall 2008

Development of a walking safety scale for older adults, part I: content validity of the GEM scale. Kaegi C, Boudreault R, Rousseau J, Bourbonnais D, Nadeau S, Dubé F. 60:264–73 Sum 2008

Development of a walking safety scale for older adults, part II: interrater and test-retest agreement of the GEM scale. Dubé F,

Rousseau J, Kaegi C, Boudreault R, Nadeau S. 60:274–82 Sum 2008

Exercise for fall risk reduction in community-dwelling older adults: a systematic review. Arnold CM, Sran MM, Harrison EL. 60:358–372 Fall 2008

Predictors of gait speed in patients after hip fracture. Kline Mangione K, Craik RL, Lopopolo R, Tomlinson JD, Brenneman SK. 60:10–18 Win 2008

A randomized clinical trial of aquatic versus land exercise to improve balance, function, and quality of life in older women with osteoporosis. Arnold CM, Busch AJ, Schachter CL, Harrison EL, Olszynski WP. 60:296–306 Fall 2008

BEHAVIOUR MODIFICATION

Effects of exercise interventions on stereotypic behaviours in children with autism spectrum disorder. Petrus C, Adamson SR, Block L, Einarson SJ, Sharifnejad M, Harris SR. 60:134–45 Spr 2008

BREAST CANCER

Review: Body Basics for Breast Cancer. Askwith BC. 60:376–377 Fall 2008

CARDIORESPIRATORY

Factors associated with physiotherapists' interest in cardiorespiratory continuing education using computer-assisted learning: a survey. Reid WD, Stanton SJ, Kelm LC. 60:80–91 Win 2008

Investigation of the frequency and force of chest vibration performed by physiotherapists. Li SK, Silva YR. 60:341–348 Fall 2008

Profile of patients at admission into an inpatient stroke rehabilitation programme: cardiorespiratory fitness and functional characteristics. Brooks D, Tang A, Sibley KM, McIlroy WE. 60:171–9 Spr 2008

CERVICAL SPINE

Efficacy of postural and neck-stabilization exercises for persons with acute whiplash-associated disorders: a systematic review. Drescher K, Hardy S, MacLean J, Schindler M, Scott K, Harris SR. 60:215–23 Sum 2008

CHEDOKE-MCMMASTER STROKE ASSESSMENT SCALE (CMSA)

Profile of patients at admission into an inpatient stroke rehabilitation programme: cardiorespiratory fitness and functional characteristics. Brooks D, Tang A, Sibley KM, McIlroy WE. 60:171–9 Spr 2008

CHEST (CARDIOTHORACIC)

Investigation of the frequency and force of chest vibration performed by physiotherapists. Li SK, Silva YR. 60:341–348 Fall 2008

CHRONIC CONDITIONS

Eccentric exercise in patients with chronic health conditions: a systematic review. Roig M, Shadgan B, Reid WD. 60:146–60 Spr 2008

COMMUNICATION

Perceptions of outpatients regarding the attire of physiotherapists. Mercer E, MacKay-Lyons M, Conway N, Flynn J, Mercer C. 60:349–357 Fall 2008

CONSTANT-MURLEY OUTCOME MEASURE

Convergent validity of the Constant-Murley Outcome Measure in patients with rotator cuff disease. Razmjou H, Bean A, MacDermid JM, van Osnabrugge V, Travers N, Holtby R. 60:72–9 Win 2008

CONSTRAINT-INDUCED MOVEMENT THERAPY (CIMT)

Constraint-induced movement therapy for severe upper-extremity impairment after stroke in an outpatient rehabilitation setting: a case report. Ploughman M, Shears J, Hutchings L, Osmond M. 60:161–70 Spr 2008

CONTINUING EDUCATION AND PROFESSIONAL DEVELOPMENT

Clinical specialists and advanced practitioners in physical therapy: a survey of physical therapists and employers of physical therapists in Ontario, Canada. Yardley D, Gordon R, Freeburn R, So C, Beauchamp D, Landry MD, Switzer-McIntyre S, Evans C, Brooks D. 60:224–38 Sum 2008

Factors associated with physiotherapists' interest in cardiorespiratory continuing education using computer-assisted learning: a survey. Reid WD, Stanton SJ, Kelm LC. 60:80–91 Win 2008

Physiothérapie – leadership et possibilités. Cleather JM. 60:329–340 Fall 2008

Physiotherapy—leadership and opportunities. Cleather JM. 60:318–328 Fall 2008

Self-assessment: the disconnect between research and rhetoric. Miller PA. 60:117–24 Spr 2008

CULTURE

Perceptions of outpatients regarding the attire of physiotherapists. Mercer E,

MacKay-Lyons M, Conway N, Flynn J, Mercer C. 60:349–357 Fall 2008

DISABILITY

Review: After Disability: A Guide to Getting On with Life. Hunt M. 60:202 Spr 2008

DISTANCE LEARNING

Factors associated with physiotherapists' interest in cardiorespiratory continuing education using computer-assisted learning: a survey. Reid WD, Stanton SJ, Kelm LC. 60:80–91 Win 2008

EDUCATION

Physiothérapie – leadership et possibilités. Cleather JM. 60:329–340 Fall 2008
Physiotherapy—leadership and opportunities. Cleather JM. 60:318–328 Fall 2008

EVIDENCE-BASED PRACTICE (EBP)

Aponévrosite plantaire : quelles sont les options d'un consommateur averti? Harris SR. 60:6–9 Win 2008
Can patient testimonials constitute evidence? Plantar fasciitis—part II. Harris SR. 60:289–291 Fall 2008
Plantar fasciitis: what's an evidence-informed consumer to do? Harris SR. 60:3–5 Win 2008
Review: Orthopaedic Clinical Examination: An Evidence-Based Approach for Physical Therapists. Hoens A. 60:198 Spr 2008
Les témoignages des patients peuvent-ils servir de preuves scientifiques? Harris SR. 60:292–295 Fall 2008
Web 2.0 in physiotherapy: a practical overview. Barsky E, Giustini D. 60:207–10 Sum 2008
Web 2.0 en physiothérapie : survol pratique. Barsky E, Giustini D. 60:211–14 Sum 2008

EXERCISE

Clinician's commentary on Arnold et al. (Exercise for fall risk reduction). Hoens AM. 60:373–374 Fall 2008
Eccentric exercise in patients with chronic health conditions: a systematic review. Roig M, Shadgan B, Reid WD. 60:146–60 Spr 2008
Effects of exercise interventions on stereotypic behaviours in children with autism spectrum disorder. Petrus C, Adamson SR, Block L, Einarson SJ, Sharifnejad M, Harris SR. 60:134–45 Spr 2008
Efficacy of postural and neck-stabilization exercises for persons with acute whiplash-associated disorders: a systematic review. Drescher K, Hardy S, MacLean J, Schindler M, Scott K, Harris SR. 60:215–23 Sum 2008
Exercise for fall risk reduction in community-dwelling older adults: a systematic review. Arnold CM, Sran MM, Harrison EL. 60:358–372 Fall 2008
Profile of patients at admission into an inpatient stroke rehabilitation programme: cardiorespiratory fitness and functional

characteristics. Brooks D, Tang A, Sibley KM, McIlroy WE. 60:171–9 Spr 2008
A randomized clinical trial of aquatic versus land exercise to improve balance, function, and quality of life in older women with osteoporosis. Arnold CM, Busch AJ, Schachter CL, Harrison EL, Olszynski WP. 60:296–306 Fall 2008
Specific directional exercises for patients with low back pain: a case series. Long A, May S, Fung T. 60:307–317 Fall 2008

FAMILIES

Constraint-induced movement therapy for severe upper-extremity impairment after stroke in an outpatient rehabilitation setting: a case report. Ploughman M, Shears J, Hutchings L, Osmond M. 60:161–70 Spr 2008

FITNESS TRAINING

Profile of patients at admission into an inpatient stroke rehabilitation programme: cardiorespiratory fitness and functional characteristics. Brooks D, Tang A, Sibley KM, McIlroy WE. 60:171–9 Spr 2008
A randomized clinical trial of aquatic versus land exercise to improve balance, function, and quality of life in older women with osteoporosis. Arnold CM, Busch AJ, Schachter CL, Harrison EL, Olszynski WP. 60:296–306 Fall 2008
Review: Fit to Deliver: An Innovative Prenatal and Postpartum Fitness Program, 2nd ed. Cossenas CJ. 60:194 Spr 2008
Review: Ultimate Back Fitness and Performance. Head K. 60:205–6 Spr 2008

FOOT OR ANKLE

Aponévrosite plantaire : quelles sont les options d'un consommateur averti? Harris SR. 60:6–9 Win 2008
Can patient testimonials constitute evidence? Plantar fasciitis—part II. Harris SR. 60:289–291 Fall 2008
Plantar fasciitis: what's an evidence-informed consumer to do? Harris SR. 60:3–5 Win 2008
Les témoignages des patients peuvent-ils servir de preuves scientifiques? Harris SR. 60:292–295 Fall 2008

FOREARM OR ELBOW

Constraint-induced movement therapy for severe upper-extremity impairment after stroke in an outpatient rehabilitation setting: a case report. Ploughman M, Shears J, Hutchings L, Osmond M. 60:161–70 Spr 2008

FRAILTY

Clinician's commentary on Arnold et al. (Exercise for fall risk reduction). Hoens AM. 60:373–374 Fall 2008
Exercise for fall risk reduction in community-dwelling older adults: a systematic review. Arnold CM, Sran MM, Harrison EL. 60:358–372 Fall 2008

Review: Smart Technology for Aging, Disability and Independence: The State of the Science. Asano M. 60:193 Spr 2008

GERIATRIC

Clinician's commentary on Arnold et al. (Exercise for fall risk reduction). Hoens AM. 60:373–374 Fall 2008
Development of a walking safety scale for older adults, part I: content validity of the GEM scale. Kaegi C, Boudreault R, Rousseau J, Bourbonnais D, Nadeau S, Dubé F. 60:264–73 Sum 2008
Development of a walking safety scale for older adults, part II: interrater and test-retest agreement of the GEM scale. Dubé F, Rousseau J, Kaegi C, Boudreault R, Nadeau S. 60:274–82 Sum 2008
Exercise for fall risk reduction in community-dwelling older adults: a systematic review. Arnold CM, Sran MM, Harrison EL. 60:358–372 Fall 2008
Review: Smart Technology for Aging, Disability and Independence: The State of the Science. Asano M. 60:193 Spr 2008
Use of outcome measures in physiotherapy practice in Ireland from 1998 to 2003 and comparison to Canadian trends. Stokes EK, O'Neill D. 60:109–16 Spr 2008

HAND OR WRIST

Constraint-induced movement therapy for severe upper-extremity impairment after stroke in an outpatient rehabilitation setting: a case report. Ploughman M, Shears J, Hutchings L, Osmond M. 60:161–70 Spr 2008
Physiological, sensory, and functional measures in a model of wrist muscle injury and recovery: a pilot study. Tiidus PM, Brown L, Brant A, Enns D, Bryden PJ. 60:30–39 Win 2008

HEAD AND NECK

Efficacy of postural and neck-stabilization exercises for persons with acute whiplash-associated disorders: a systematic review. Drescher K, Hardy S, MacLean J, Schindler M, Scott K, Harris SR. 60:215–23 Sum 2008

HEALTH PROMOTION

Review: Transforming Health Promotion Practice: Concepts, Issues and Applications. Young LE, Hayes V. 60:96–8 Win 2008

HOSPITALS

Availability and structure of ambulatory rehabilitation services: a survey of hospitals with designated rehabilitation beds in Ontario, Canada. Landry MD, Passalent LA, Cott CA. 60:246–54 Sum 2008

HYDROTHERAPY, BALNEOTHERAPY

A randomized clinical trial of aquatic versus land exercise to improve balance, function, and quality of life in older women with osteoporosis. Arnold CM, Busch AJ,

Schachter CL, Harrison EL, Olszynski WP. 60:296–306 Fall 2008

ILIOTIBIAL BAND FRICTION SYNDROME (IBFS)

Effects of multi-modal physiotherapy, including hip abductor strengthening, in patients with iliotibial band friction syndrome. Beers A, Ryan M, Kasubuchi Z, Fraser S, Taunton JE. 60:180–8 Spr 2008

INJURY RECOVERY

Effects of multi-modal physiotherapy, including hip abductor strengthening, in patients with iliotibial band friction syndrome. Beers A, Ryan M, Kasubuchi Z, Fraser S, Taunton JE. 60:180–8 Spr 2008

Factors contributing to failure of rotator cuff surgery in persons with work-related injuries. Razmjou H, Lincoln S, Axelrod T, Holtby R. 60:125–33 Spr 2008

Physiological, sensory, and functional measures in a model of wrist muscle injury and recovery: a pilot study. Tiidus PM, Brown L, Brant A, Enns D, Bryden PJ. 60:30–39 Win 2008

LOWER LEG OR KNEE

Measurement properties of performance-specific pain ratings of patients awaiting total joint arthroplasty as a consequence of osteoarthritis. Halket A, Stratford PW, Kennedy DM, Woodhouse LJ, Spadoni G. 60:255–63, Sum 2008

LOWER LIMB

Predictors of gait speed in patients after hip fracture. Kline Mangione K, Craik RL, Lopopolo R, Tomlinson JD, Brenneman SK. 60:10–18 Win 2008

LUMBAR SPINE, SIJ, OR PELVIS

Pain profiles and psychosocial distress symptoms in workers with low back pain. Mngoma N, Corbière M, Stevenson J. 60:239–45 Sum 2008

Specific directional exercises for patients with low back pain: a case series. Long A, May S, Fung T. 60:307–317 Fall 2008

MEASUREMENT

Convergent validity of the Constant-Murley Outcome Measure in patients with rotator cuff disease. Razmjou H, Bean A, MacDermid JM, van Osnabrugge V, Travers N, Holtby R. 60:72–9 Win 2008

Development of a walking safety scale for older adults, part I: content validity of the GEM scale. Kaegi C, Boudreault R, Rousseau J, Bourbonnais D, Nadeau S, Dubé F. 60:264–73 Sum 2008

Development of a walking safety scale for older adults, part II: interrater and test-retest agreement of the GEM scale. Dubé F, Rousseau J, Kaegi C, Boudreault R, Nadeau S. 60:274–82 Sum 2008

Factors contributing to failure of rotator cuff surgery in persons with work-related

injuries. Razmjou H, Lincoln S, Axelrod T, Holtby R. 60:125–33 Spr 2008

Investigation of the frequency and force of chest vibration performed by physiotherapists. Li SK, Silva YR. 60:341–348 Fall 2008

Measurement properties of performance-specific pain ratings of patients awaiting total joint arthroplasty as a consequence of osteoarthritis. Halket A, Stratford PW, Kennedy DM, Woodhouse LJ, Spadoni G. 60:255–63, Sum 2008

Objectif par rapport à *subjectif*: terminologie du kudzu. Rothstein JM. 60:106–8 Spr 2008

Objective versus *subjective*: kudzu terminology. Rothstein JM. 60:103–5 Spr 2008

Physiological, sensory, and functional measures in a model of wrist muscle injury and recovery: a pilot study. Tiidus PM, Brown L, Brant A, Enns D, Bryden PJ. 60:30–39 Win 2008

Review: Répertoire des outils d'évaluation en français pour la réadaptation. Léonard G. 60:200–1 Spr 2008

Use of outcome measures in physiotherapy practice in Ireland from 1998 to 2003 and comparison to Canadian trends. Stokes EK, O'Neill D. 60:109–16 Spr 2008

MOTOR CONTROL

Physiological, sensory, and functional measures in a model of wrist muscle injury and recovery: a pilot study. Tiidus PM, Brown L, Brant A, Enns D, Bryden PJ. 60:30–39 Win 2008

Review: Movement Sciences: Transfer of Knowledge into Paediatric Therapy Practice. Mayson T. 60:190 Spr 2008

MUSCULOSKELETAL

Convergent validity of the Constant-Murley Outcome Measure in patients with rotator cuff disease. Razmjou H, Bean A, MacDermid JM, van Osnabrugge V, Travers N, Holtby R. 60:72–9 Win 2008

Eccentric exercise in patients with chronic health conditions: a systematic review. Roig M, Shadgan B, Reid WD. 60:146–60 Spr 2008

Factors contributing to failure of rotator cuff surgery in persons with work-related injuries. Razmjou H, Lincoln S, Axelrod T, Holtby R. 60:125–33 Spr 2008

Physiological, sensory, and functional measures in a model of wrist muscle injury and recovery: a pilot study. Tiidus PM, Brown L, Brant A, Enns D, Bryden PJ. 60:30–39 Win 2008

Predictors of gait speed in patients after hip fracture. Kline Mangione K, Craik RL, Lopopolo R, Tomlinson JD, Brenneman SK. 60:10–18 Win 2008

Review: Orthopaedic Clinical Examination: An Evidence-Based Approach for Physical Therapists. Hoens A. 60:198 Spr 2008

ORTHOPAEDICS

Predictors of gait speed in patients after hip fracture. Kline Mangione K, Craik RL, Lopopolo R, Tomlinson JD, Brenneman SK. 60:10–18 Win 2008

Review: Orthopaedic Clinical Examination: An Evidence-Based Approach for Physical Therapists. Hoens A. 60:198 Spr 2008

Review: Orthopaedic Rehabilitation Science: Principles for Clinical Management of Bone. Lundon K. 60:94–5 Win 2008

OSTEOARTHRITIS

Measurement properties of performance-specific pain ratings of patients awaiting total joint arthroplasty as a consequence of osteoarthritis. Halket A, Stratford PW, Kennedy DM, Woodhouse LJ, Spadoni G. 60:255–63, Sum 2008

OSTEOPOROSIS

A randomized clinical trial of aquatic versus land exercise to improve balance, function, and quality of life in older women with osteoporosis. Arnold CM, Busch AJ, Schachter CL, Harrison EL, Olszynski WP. 60:296–306 Fall 2008

PAEDIATRICS

Effects of exercise interventions on stereotypic behaviours in children with autism spectrum disorder. Petrus C, Adamson SR, Block L, Einarson SJ, Sharifnejad M, Harris SR. 60:134–45 Spr 2008

Review: Epidemiology of Pediatric Sports Injuries: Individual Sports. Megens A. 60:377–378 Fall 2008

Review: Epidemiology of Pediatric Sports Injuries: Team Sports. Megens A. 60:377–378 Fall 2008

Review: Movement Sciences: Transfer of Knowledge into Paediatric Therapy Practice. Mayson T. 60:190 Spr 2008

PAIN

Measurement properties of performance-specific pain ratings of patients awaiting total joint arthroplasty as a consequence of osteoarthritis. Halket A, Stratford PW, Kennedy DM, Woodhouse LJ, Spadoni G. 60:255–63, Sum 2008

Pain profiles and psychosocial distress symptoms in workers with low back pain. Mngoma N, Corbière M, Stevenson J. 60:239–45 Sum 2008

Review: Pain: Psychological Perspectives. Kachur S. 60:203–4 Spr 2008

Review: Pain: The Science and Culture of Why We Hurt. Thornton M. 60:191–2 Spr 2008

Review: Understanding and Treating Fear of Pain. Kachur S. 60:196–7 Spr 2008

Specific directional exercises for patients with low back pain: a case series. Long A, May S, Fung T. 60:307–317 Fall 2008

PHARMACOLOGY

Review: Pharmacology for Physical Therapists. Anthony J. 60:378–379 Fall 2008

PHYSIOTHERAPY PRACTICE

Use of outcome measures in physiotherapy practice in Ireland from 1998 to 2003 and comparison to Canadian trends. Stokes EK, O'Neill D. 60:109–116 Spr 2008

PLANTAR FASCIITIS

Aponévrosite plantaire : quelles sont les options d'un consommateur averti? Harris SR. 60:6–9 Win 2008
Can patient testimonials constitute evidence? Plantar fasciitis—part II. Harris SR. 60:289–291 Fall 2008
Plantar fasciitis: what's an evidence-informed consumer to do? Harris SR. 60:3–5 Win 2008
Les témoignages des patients peuvent-ils servir de preuves scientifiques? Harris SR. 60:292–295 Fall 2008

POSTURAL STABILITY

Efficacy of postural and neck-stabilization exercises for persons with acute whiplash-associated disorders: a systematic review. Drescher K, Hardy S, MacLean J, Schindler M, Scott K, Harris SR. 60:215–23 Sum 2008

PRE/POSTNATAL

Review: Fit to Deliver: An Innovative Prenatal and Postpartum Fitness Program, 2nd ed. Cossenas CJ. 60:194 Spr 2008

PROFESSIONALISM

Perceptions of outpatients regarding the attire of physiotherapists. Mercer E, MacKay-Lyons M, Conway N, Flynn J, Mercer C. 60:349–357 Fall 2008

PROFESSIONAL SUCCESS

Balancing the needs of the population, profession, and self: aligning with the environment. Harrison EL. 60:51–60 Win 2008
Équilibrer les besoins de la population, de la profession et du soi: alignement à l'environnement. Harrison EL. 60:61–71 Win 2008
“Moving forward”: success from a physiotherapist's point of view. Takeuchi R, O'Brien MM, Ormond KB, Brown SDJ, Maly MR. 60:19–29 Win 2008

PROGRAMME DEVELOPMENT

Clinical specialists and advanced practitioners in physical therapy: a survey of physical therapists and employers of physical therapists in Ontario, Canada. Yardley D, Gordon R, Freeburn R, So C, Beauchamp D, Landry MD, Switzer-McIntyre S, Evans C, Brooks D. 60:224–38 Sum 2008

Theory-based programme development and evaluation in physiotherapy. Huijbregts MPJ, Kay T, Klink B. 60:40–9 Win 2008

PROGRAMME EVALUATION

Theory-based programme development and evaluation in physiotherapy. Huijbregts MPJ, Kay T, Klink B. 60:40–9 Win 2008

QUALITY OF LIFE

A randomized clinical trial of aquatic versus land exercise to improve balance, function, and quality of life in older women with osteoporosis. Arnold CM, Busch AJ, Schachter CL, Harrison EL, Olszynski WP. 60:296–306 Fall 2008

REDUCED WORK TOLERANCE

Factors contributing to failure of rotator cuff surgery in persons with work-related injuries. Razmjou H, Lincoln S, Axelrod T, Holtby R. 60:125–33 Spr 2008

REHABILITATION

Availability and structure of ambulatory rehabilitation services: a survey of hospitals with designated rehabilitation beds in Ontario, Canada. Landry MD, Passalent LA, Cott CA. 60:246–54 Sum 2008
Effects of multi-modal physiotherapy, including hip abductor strengthening, in patients with iliotibial band friction syndrome. Beers A, Ryan M, Kasubuchi Z, Fraser S, Taunton JE. 60:180–8 Spr 2008
Factors contributing to failure of rotator cuff surgery in persons with work-related injuries. Razmjou H, Lincoln S, Axelrod T, Holtby R. 60:125–33 Spr 2008
Profile of patients at admission into an inpatient stroke rehabilitation programme: cardiorespiratory fitness and functional characteristics. Brooks D, Tang A, Sibley KM, McIlroy WE. 60:171–9 Spr 2008
Review: Orthopaedic Rehabilitation Science: Principles for Clinical Management of Bone. Lundon K. 60:94–5 Win 2008
Review: Répertoire des outils d'évaluation en français pour la réadaptation. Léonard G. 60:200–1 Spr 2008
Use of outcome measures in physiotherapy practice in Ireland from 1998 to 2003 and comparison to Canadian trends. Stokes EK, O'Neill D. 60:109–16 Spr 2008

RESPIRATORY THERAPY

Investigation of the frequency and force of chest vibration performed by physiotherapists. Li SK, Silva YR. 60:341–348 Fall 2008

ROTATOR CUFF DISEASE

Convergent validity of the Constant-Murley Outcome Measure in patients with rotator cuff disease. Razmjou H, Bean A, MacDermid JM, van Osnabrugge V, Travers N, Holtby R. 60:72–9 Win 2008

Factors contributing to failure of rotator cuff surgery in persons with work-related injuries. Razmjou H, Lincoln S, Axelrod T, Holtby R. 60:125–33 Spr 2008

SELF-ASSESSMENT

Self-assessment: the disconnect between research and rhetoric. Miller PA. 60:117–24 Spr 2008

SKILL TRAINING

Constraint-induced movement therapy for severe upper-extremity impairment after stroke in an outpatient rehabilitation setting: a case report. Ploughman M, Shears J, Hutchings L, Osmond M. 60:161–70 Spr 2008

SPINE

Review: Red Flags: A Guide to Identifying Serious Pathology of the Spine. Sagur S. 60:379 Fall 2008
Review: Ultimate Back Fitness and Performance. Head K. 60:205–6 Spr 2008

SPORTS

Review: Epidemiology of Pediatric Sports Injuries: Individual Sports. Megens A. 60:377–378 Fall 2008
Review: Epidemiology of Pediatric Sports Injuries: Team Sports. Megens A. 60:377–378 Fall 2008

STRENGTH TRAINING

Effects of multi-modal physiotherapy, including hip abductor strengthening, in patients with iliotibial band friction syndrome. Beers A, Ryan M, Kasubuchi Z, Fraser S, Taunton JE. 60:180–8 Spr 2008
Review: Strength Band Training. Sutton M. 60:195 Spr 2008

STROKE

Constraint-induced movement therapy for severe upper-extremity impairment after stroke in an outpatient rehabilitation setting: a case report. Ploughman M, Shears J, Hutchings L, Osmond M. 60:161–70 Spr 2008
Profile of patients at admission into an inpatient stroke rehabilitation programme: cardiorespiratory fitness and functional characteristics. Brooks D, Tang A, Sibley KM, McIlroy WE. 60:171–9 Spr 2008
Review: Recovery after Stroke. Damiano N. 60:199 Spr 2008

SYSTEMATIC REVIEW

Eccentric exercise in patients with chronic health conditions: a systematic review. Roig M, Shadgan B, Reid WD. 60:146–60 Spr 2008
Efficiency of postural and neck-stabilization exercises for persons with acute whiplash-associated disorders: a systematic review. Drescher K, Hardy S, MacLean J,

Schindler M, Scott K, Harris SR. 60:215–23 Sum 2008

Exercise for fall risk reduction in community-dwelling older adults: a systematic review. Arnold CM, Sran MM, Harrison EL. 60:358–372 Fall 2008

THIGH OR HIP

Effects of multi-modal physiotherapy, including hip abductor strengthening, in patients with iliotibial band friction syndrome. Beers A, Ryan M, Kasubuchi Z, Fraser S, Taunton JE. 60:180–8 Spr 2008

Predictors of gait speed in patients after hip fracture. Kline Mangione K, Craik RL, Lopopolo R, Tomlinson JD, Brenneman SK. 60:10–18 Win 2008

UPPER ARM, SHOULDER, OR SHOULDER GIRDLE

Convergent validity of the Constant-Murley Outcome Measure in patients with rotator cuff disease. Razmjou H, Bean A,

MacDermid JM, van Osnabrugge V, Travers N, Holtby R. 60:72–9 Win 2008

Factors contributing to failure of rotator cuff surgery in persons with work-related injuries. Razmjou H, Lincoln S, Axelrod T, Holtby R. 60:125–33 Spr 2008

UPPER LIMB

Constraint-induced movement therapy for severe upper-extremity impairment after stroke in an outpatient rehabilitation setting: a case report. Ploughman M, Shears J, Hutchings L, Osmond M. 60:161–70 Spr 2008

Factors contributing to failure of rotator cuff surgery in persons with work-related injuries. Razmjou H, Lincoln S, Axelrod T, Holtby R. 60:125–33 Spr 2008

WALKING SAFETY SCALE (GEM)

Development of a walking safety scale for older adults, part I: content validity of the GEM scale. Kaegi C, Boudreault R,

Rousseau J, Bourbonnais D, Nadeau S, Dubé F. 60:264–73 Sum 2008

Development of a walking safety scale for older adults, part II: interrater and test-retest agreement of the GEM scale. Dubé F, Rousseau J, Kaegi C, Boudreault R, Nadeau S. 60:274–82 Sum 2008

WESTERN ONTARIO ROTARY CUFF INDEX (WORC)

Factors contributing to failure of rotator cuff surgery in persons with work-related injuries. Razmjou H, Lincoln S, Axelrod T, Holtby R. 60:125–33 Spr 2008

WORK-RELATED INJURY

Factors contributing to failure of rotator cuff surgery in persons with work-related injuries. Razmjou H, Lincoln S, Axelrod T, Holtby R. 60:125–33 Spr 2008

Pain profiles and psychosocial distress symptoms in workers with low back pain. Mngoma N, Corbière M, Stevenson J. 60:239–45 Sum 2008

KEY WORD INDEX/INDEX DES MOTS CLÉS

access, 246
accidental falls, 296, 358
accuracy, 117
advanced practice, 224
advanced practitioner, 224
ambulatory services, 246
anxiety, 239
arthroplasty, 255
assessment, 19, 264, 274
atrophy, 146
attire, 349
autism, 134
autism spectrum disorder, 134
back pain, 239
balance, 10
career mobility, 19
centralization, 307
chest shaking, 341
chest vibration, 341
chronic disease, 146
clinical competency, 117
clinical practice, 264
clinical specialist, 224
computer-assisted learning, 80
Constant-Murley, 72
continuing education, 80
depression, 239
directional preference, 307
discomfort, 30
distance learning, 80
eccentric training, 146
elderly, 274
evaluation, 40
exercise, 134, 171, 215
expanded role, 224
fall risk, 358
fitness, 171
force, 341

forced-use, 161
frequency, 341
gait, 264, 274
gait speed, 10
geriatrics, 264
health status, 10
hemiplegia, 161
hip abduction, 180
hip fracture, 10
hospital report card, 246
hospitals, 246
hydrotherapy, 296
iliotibial band, 180
injury, 180
international comparison, 109
Internet, 80
job satisfaction, 19
low back pain, 307
lower extremity strength, 10
McKenzie method, 307
mentors, 19
methodology, 40
motor tasks, 30
motor vehicle accident, 215
muscle damage, 30
muscle dysfunction, 146
muscle function, 30
muscle soreness, 30
neck stabilization, 215
numeric pain rating scale, 255
occupational therapy, 161
older people, 109
osteoarthritis, 255
osteoporosis, 296
outcome measure, 72
outcome measurement, 40
outcome measures, 109
patient outcomes, 19

patient satisfaction, 349
performance reliability, 255
physical therapist, 80, 224
physiotherapy, 117, 161, 264, 274
physiotherapy practice, 109
posture, 215
professional development, 117
professional practice, 19
professionalism, 349
programme evaluation, 40
psychometric properties, 274
psychosocial distress, 239
qualitative research, 19
questionnaire, 349
rehabilitation, 109, 171, 180, 246
reliability, 72
return to work, 239
risk factors, 296
rotator cuff, 117
rotator cuff disease, 72
sciatica, 307
self-assessment, 117
shoulder, 117
specialization, 224
stereotypical behaviours, 134
strength, 180
stroke, 171
subgroups, 307
surgical failure, 117
systematic review, 134, 215
theory, 40
upper extremity, 161
validity, 72
vocational rehabilitation, 19
whiplash, 215
WOMAC, 255
work-related, 117

AUTHOR INDEX/INDEX DES AUTEURS

- Adamson SR, 134
 Arnold CM, 296, 358
 Axelrod T, 125
 Barsky E, 207, 211
 Bean A, 72
 Beauchamp D, 224
 Beers A, 180
 Block L, 134
 Boudreault R, 264, 274
 Bourbonnais D, 264
 Brant A, 30
 Brenneman SK, 10
 Brooks D, 171, 224
 Brown L, 30
 Brown SDJ, 19
 Bryden PJ, 30
 Busch AJ, 296
 Cleather JM, 318
 Conway N, 349
 Corbière M, 239
 Cott CA, 246
 Craik RL, 10
 Drescher K, 215
 Dubé F, 264, 274
 Einarson SJ, 134
 Enns D, 30
 Evans C, 224
 Flynn J, 349
 Fraser S, 180
 Freeburn R, 224
 Fung T, 307
 Giustini D, 207, 211
 Gordon R, 224
 Halket A, 255
 Hardy S, 215
 Harris SR, 3, 6, 134, 215, 289, 380
 Harrison EL, 51, 61, 296, 358
 Hayes V, 96
 Hoens AM, 373
 Holtby R, 72, 125
 Huijbregts MPJ, 40
 Hutchings L, 161
 Kaegi C, 264, 274
 Kasubuchi Z, 180
 Kay T, 40
 Kelm LC, 80
 Kennedy DM, 255
 Klinck B, 40
 Kline Mangione K, 10
 Landry MD, 224, 246
 Li SK, 341
 Lincoln S, 125
 Long A, 307
 Lopopolo R, 10
 MacDermid JM, 72
 MacKay-Lyons M, 349
 MacLean J, 215
 Maly MR, 19
 May S, 307
 McIlroy WE, 171
 Mercer C, 349
 Mercer E, 349
 Miller PA, 117
 Mngoma N, 239
 Nadeau S, 264, 274
 O'Brien MM, 19
 O'Neill D, 109
 Olszynski WP, 296
 Ormond KB, 19
 Osmond M, 161
 Passalent LA, 246
 Petrus C, 134
 Ploughman M, 161
 Razmjou H, 72, 125
 Reid WD, 80, 146
 Roig M, 146
 Rothstein JM, 103, 106
 Rousseau J, 264, 274
 Ryan M, 180
 Schachter C, 296
 Schindler M, 215
 Scott K, 215
 Shadgan B, 146
 Sharifnejad M, 134
 Shears J, 161
 Sibley KM, 171
 Silva YR, 341
 So C, 224
 Spadoni G, 255
 Sran MM, 358
 Stanton SJ, 80
 Stevenson J, 239
 Stokes EK, 109
 Stratford PW, 255
 Switzer-McIntyre S, 224
 Takeuchi R, 19
 Tang A, 171
 Taunton JE, 180
 Tiidus PM, 30
 Tomlinson JD, 10
 Travers N, 72
 van Osnabrugge V, 72
 Woodhouse LJ, 255
 Yardley D, 224
 Young LE, 96